


UNIVERSAL BEAMS

CERTIFIED TO BRITISH & EUROPEAN STANDARDS



Designation	Mass per metre	Depth of Section	Width of Section	Thickness	Flange
Serial Size mm	Kg/m	'D' mm	'B' mm	Web 't' mm	'T' mm
127 x 76	13.0	127.0	76.0	4.0	7.6
152 x 89	16.0	152.4	88.7	4.5	7.7
178 x 102	19.0	177.8	101.2	4.8	7.9
203 x 102	23.1	203.2	101.8	5.4	9.3
203 x 133	25.1	203.2	133.2	5.7	7.8
	30.0	206.8	133.9	6.4	9.6
254 x 102	22.0	254.0	101.6	5.7	6.8
	25.2	257.2	101.6	6.0	8.4
	28.3	260.4	102.2	6.3	10.0
254 x 146	31.1	251.4	146.1	6.0	8.6
	37.0	256.0	146.4	6.3	10.9
	43.0	259.6	147.3	7.2	12.7
305 x 102	24.8	305.1	101.6	5.8	7.0
	28.2	308.7	101.8	6.0	8.8
	32.8	312.7	102.4	6.6	10.8
305 x 127	37.0	304.4	123.3	7.1	10.7
	41.9	307.2	124.3	8.0	12.1
	48.1	311.0	125.3	9.0	14.0
305 x 165	40.3	303.4	165.0	6.0	10.2
	46.1	306.6	165.7	6.7	11.8
	54.0	310.4	166.9	7.9	13.7
356 x 127	33.1	349.0	125.4	6.0	8.5
	39.1	353.4	126.0	6.6	10.7
356 x 171	45.0	351.4	171.1	7.0	9.7
	51.0	355.0	171.5	7.4	11.5
	57.0	358.0	172.2	8.1	13.0
	67.1	363.4	173.2	9.1	15.7
406 x 140	39.0	398.0	141.8	6.4	8.6
	46.0	403.2	142.2	6.8	11.2
406 x 178	54.1	402.6	177.7	7.7	10.9
	60.1	406.4	177.9	7.9	12.8
	67.1	409.4	178.8	8.8	14.3
	74.2	412.8	179.5	9.5	16.0

9

Standard Mill lengths available, also cut to size

TEL: 01228 525364
FAX: 01228 554801

