

SAFETY DATA SHEET Jangro - SINK & DRAIN MAINTAINER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Jangro - SINK & DRAIN MAINTAINER

Product number A003 JA

Internal identification BC068-2

UFI: VXCD-5XUX-U207-JJ7J

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Sink & Drain Cleaner / Unblocker.

1.3. Details of the supplier of the safety data sheet

Supplier UK: Jangro Limited Europe: Jangro (Europe) Limited

Jangro House 6-9 Trinity Street

Worsley Road Dublin 2
Farnworth D02 EY47
Bolton. UK Ireland

BL4 9LU

Tel: 01204 795 955 Tel: 01 617 7911

Fax: 01204 579 499 enquiries@jangrohq.net

1.4. Emergency telephone number

Emergency telephone 01772 318 818 - Mon to Thu 8.30am to 4.45pm - Fri 8.30am to 1.30pm

National emergency telephone For Health Care Professionals only -

number For use in UK: Contact the National Poisons Information Service for further advice.

For use in the Republic of Ireland: To report a poisoning incident contact The National

Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Corr. 1A - H314 Eye Dam. 1 - H318

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

2.2. Label elements

Hazard pictograms





Signal word Danger

Jangro - SINK & DRAIN MAINTAINER

Hazard statements H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P102 Keep out of reach of children.

Do not mix with other products especially acidic products.

P260 Do not breathe mist.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice/ attention.

P501 Dispose of contents/ container in accordance with local regulations.

Supplemental label

information

EUH031 Contact with acids liberates toxic gas.

Contains SODIUM HYDROXIDE, SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM HYDROXIDE 10-15%

CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-

2119457892-27-xxxx

Spec Conc Limits: - Skin Corr. 1A (H314) >= 5 %, Skin Corr. 1B (H314) >= 2% <5 %, Skin Irrit. 2 (H315) >= 0.5% <2%, Eye

Irrit. 2 (H319) >=0.5% <2%

Classification

Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318

SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE

5-10%

Spec Conc Limits :- EUH031: ≥ 5%

Classification

Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Jangro - SINK & DRAIN MAINTAINER

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Unlikely route of exposure as the product does not contain volatile substances. If spray/mist

has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and

at rest in a position comfortable for breathing.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get

medical attention immediately.

Skin contact Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation Irritation of nose, throat and airway.

Ingestion May cause chemical burns in mouth and throat.

Skin contact Burning pain and severe corrosive skin damage. May cause serious chemical burns to the

skin.

Eye contact Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue

damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctorTreat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Thermal decomposition or combustion products may include the following substances:

Irritating gases or vapours.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing, gloves, eye and face protection. For personal protection, see

Section 8.

6.2. Environmental precautions

Environmental precautions Dangerous for the environment. Spillages or uncontrolled discharges into watercourses must

be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and

absorb spillage with sand, earth or other non-combustible material. Collect and place in

suitable waste disposal containers and seal securely.

Jangro - SINK & DRAIN MAINTAINER

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing, gloves, eye and face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container in a cool, well-ventilated place. Protect from sunlight. Keep

container tightly closed. Store away from the following materials: Acids.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description See Product Information Sheet & Label for detailed use of this product.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective equipment





Appropriate engineering

controls

Not relevant.

Eye/face protection The following protection should be worn: Chemical splash goggles or face shield.

Hand protection Wear protective gloves. (Household rubber gloves.)

Other skin and body

protection

Wear suitable protective clothing as protection against splashing or contamination.

Respiratory protection Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Clear. Pale Yellow.

Odour Faint Characteristic Hypochlorite

pH pH (concentrated solution): 13.70

Melting point -2°C

Initial boiling point and range 102°C @ 760 mm Hg

Flash point Boils without flashing.

Jangro - SINK & DRAIN MAINTAINER

Relative density 1.296 @ 20°C

Soluble in water.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Generates toxic gas in contact with acid. Reactions with the following materials may generate

heat: Strong acids.

10.2. Chemical stability

Stability Inadequately vented containers may become pressurised.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

See sections 10.1,10.4 & 10.5

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid Strong acids. Aluminium, Tin, Zinc and their alloys.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Toxic chlorine gas is released if product is mixed with acidic materials. When heated,

vapours/gases hazardous to health may be formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects We have not carried out any animal testing for this product. Any ATE figures quoted below are

from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

SECTION 12: Ecological information

Ecotoxicity Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Another potential

hazard is from the alkalinity of the product.

12.1. Toxicity

Toxicity We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data

specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

12.2. Persistence and degradability

Persistence and degradability Sequestrant is readily degraded during biological effluent treatment processes.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility Not known.

12.5. Results of PBT and vPvB assessment

Jangro - SINK & DRAIN MAINTAINER

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product

may be flushed with water to sewer. Larger volumes must be sent for disposal as special

waste. Rinse out empty container with water and consign to normal waste.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1719
UN No. (IMDG) 1719
UN No. (ICAO) 1719

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution & hypochlorite solution)

Proper shipping name (IMDG) CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution & hypochlorite solution)

Proper shipping name (ICAO) CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution & hypochlorite solution)

14.3. Transport hazard class(es)

ADR/RID class

Class 8: Corrosive substances.

IMDG class

Class 8: Corrosive substances.

ICAO class/division

Class 8: Corrosive substances.

Transport labels



14.4. Packing group

ADR/RID packing group II

IMDG packing group II

ICAO packing group II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-A, S-B

Jangro - SINK & DRAIN MAINTAINER

Tunnel restriction code

(E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not relevant. for a packaged product.

Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission

Regulation (EU) No 2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit)

Regulations 2020.".

The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained

Use) (Amendment etc.) (EU Exit) Regulations 2020.".

Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.".

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

ATE: Acute Toxicity Estimate.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

IMDG: International Maritime Dangerous Goods.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006.

GHS: Globally Harmonized System.

Spec Conc Limits = Specific Concentration Limits.

Classification abbreviations and acronyms

Aquatic Acute = Hazardous to the aquatic environment (acute)
Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Eye Dam. = Serious eye damage

Eye Irrit. = Eye irritation

Met. Corr. = Corrosive to metals Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation

Key literature references and

sources for data

Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.

Classification procedures according to Regulation (EC)

1272/2008

Calculation Method.

Revision comments SDS re-issued after a 3 year old SDS Review.

Jangro - SINK & DRAIN MAINTAINER

Revision date 01/12/2021

Revision 7

SDS status The Hazard Statements listed below in this Section No 16 relate to the Raw Materials

(Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard

Statements relating to this Product see Section 2.

Hazard statements in full H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.