



UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU, UK T: +44 (0) 333 000 1111 Revision date: 25/03/2020 Revision: 1

SAFETY DATA SHEET

Alcohol Based Hand Sanitizer

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Alcohol Based Hand Sanitizer

Product number ACF-07441

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Hand Sanitizer.

1.3. Details of the supplier of the safety data sheet

Supplier IWS Limited

Unit 1A Bates Industrial Estate

Church Road Romford / Essex, RM3 0HU

+44 (0) 333 000 1111 info@iwatergroup.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 333 000 1111

National emergency telephone National Poisons Information Service

number

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 2 - H225
Health hazards Not Classified
Environmental hazards Not Classified

2.2. Label elements
Hazard pictograms

















UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU, UK T: +44 (0) 333 000 1111 Revision date: 25/03/2020 Revision: 1

Alcohol Based Hand Sanitizer

Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour.

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical equipment. P243 Take action to prevent static discharges.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

 $\textbf{Supplementary precautionary} \quad \text{P233 Keep container tightly closed}.$

statements P242 Use non-sparking tools.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ethanol		75 -85%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01-
		2119457610-43-XXXX
Classification		
Flam. Liq. 2 - H225		

Glycerol 1-5%

CAS number: 56-81-5 EC number: 200-289-5

Classification Not Classified

hydrogen peroxide solution <0.5
CAS number: 7722-84-1 EC number: 231-765-0 REACH registration number: 01-

Classification

Ox. Liq. 1 - H271
Acute Tox. 4 - H302
Acute Tox. 4 - H332
Skin Corr. 1A - H314
Eye Dam. 1 - H318
STOT SE 3 - H335
Aquatic Chronic 3 - H412

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments

All percentages displayed expressed as volume/volume.

SECTION 4: First aid measures





2119485845-22-XXXX











UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU. UK T: +44 (0) 333 000 1111

Revision date: 25/03/2020 Revision: 1

Alcohol Based Hand Sanitizer

4.1. Description of first aid measures

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms

are severe or persist.

Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical advice/attention

if you feel unwell.

Skin contact Rinse with water.

Rinse with water. Remove any contact lenses and open eyelids wide apart. Continue to rinse Eye contact

for at least 10 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information May cause irritation. Dizziness. Nausea, vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder

or water fog. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Flammable liquid and vapour. Forms explosive mixtures with air. Vapours are heavier than air

and may spread near ground and travel a considerable distance to a source of ignition and

flash back. Fire-water run-off in sewers may create fire or explosion hazard.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. Do not allow material to enter confined spaces, due to the risk of explosion. If risk of water pollution occurs, notify

appropriate authorities.

for firefighters

Special protective equipment Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be

taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated.

6.2. Environmental precautions













UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU, UK T: +44 (0) 333 000 1111 Revision date: 25/03/2020 Revision: 1

Alcohol Based Hand Sanitizer

Environmental precautions Do not allow material to enter confined spaces, due to the risk of explosion. Do not discharge

into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills

immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Contain and absorb spillage with sand, earth or other non-combustible material. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health

hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautionsWear protective clothing as described in Section 8 of this safety data sheet. Keep away from

food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Vapours may form explosive mixtures with air. Avoid the formation of mists. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not handle broken

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash

packages without protective equipment. Do not reuse empty containers.

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store away from incompatible materials (see Section 10). Keep only in the original container.

Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect

containers from damage.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³ Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

Glycerol

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

hydrogen peroxide solution

Long-term exposure limit (8-hour TWA): WEL 1 ppm 1.4 mg/m³ Short-term exposure limit (15-minute): WEL 2 ppm 2.8 mg/m³

WEL = Workplace Exposure Limit













<mark>,0</mark>,

International Water Solutions Ltd

UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU, UK T: +44 (0) 333 000 1111 Revision date: 25/03/2020 Revision: 1

Alcohol Based Hand Sanitizer

ethanol (CAS: 64-17-5)

DNEL Industry - Inhalation; Short term local effects: 1900 mg/m³
Industry - Inhalation; Long term systemic effects: 950 mg/m³
Industry - Dermal; Long term systemic effects: 343 mg/kg/day
Consumer - Inhalation; Short term local effects: 950 mg/m³

Consumer - Inhalation; Short term local effects: 950 mg/m³ Consumer - Inhalation; Long term systemic effects: 114 mg/m³ Consumer - Dermal; Long term systemic effects: 206 mg/kg/day Consumer - Oral; Long term systemic effects: 87 mg/kg/day

PNEC - Fresh water; 960 μg/l - marine water; 790 μg/l

- STP; 580 mg/l - Sediment (Freshwater); 3.6 mg/kg

Sediment (Freshwater); 3.6 mg/kg
Sediment (Marinewater); 2.9 mg/kg
Soil; 0.63 mg/kg

Glycerol (CAS: 56-81-5)

DNEL Workers - Inhalation; Long term local effects: 56 mg/m³

General population - Inhalation; Long term local effects: 33 mg/m³ General population - Oral; Long term systemic effects: 229 mg/kg

PNEC - Fresh water; 0.885 mg/l
- marine water; 0.0885 mg/l
- Intermittent release; 8.85 mg/l

Intermittent release; 8.85 mg/l
Sediment (Freshwater); 3.3 mg/kg
Sediment (Marinewater); 0.33 mg/kg

- Soil; 0.141 mg/kg - STP; 1000 mg/l

hydrogen peroxide solution (CAS: 7722-84-1)

DNEL Workers - Inhalation; Short term local effects: 3 mg/m³ Workers - Inhalation; Long term local effects: 1.4 mg/m³

Consumer - Inhalation; Short term local effects: 1.93 mg/m³
Consumer - Inhalation; Long term local effects: 0.21 mg/m³

PNEC - Fresh water; 0.0126 mg/l

- marine water; 0.0126 mg/l

- Soil; 0.0023 mg/kg

- STP; 4.66 mg/l

- Sediment (Freshwater); 0.047 mg/kg

- Sediment (Marinewater); 0.047 mg/kg

- Intermittent release; 0.0138 mg/l

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.













UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU. UK T: +44 (0) 333 000 1111

Revision date: 25/03/2020 Revision: 1

Alcohol Based Hand Sanitizer

Eye/face protection Unless the assessment indicates a higher degree of protection is required, the following

protection should be worn: Tight-fitting safety glasses.

Chemical-resistant, impervious gloves complying with an approved standard should be worn if Hand protection

a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke

when using this product.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn.

Environmental exposure

Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear liquid. Colour Colourless. Odour Alcoholic.

Odour threshold No information available. No information available. pΗ Melting point No information available. Initial boiling point and range No information available.

Flash point ~ 20°C Not specified. Data taken from tables.

Evaporation rate No information available **Evaporation factor** No information available. Flammability (solid, gas) No information available. Upper/lower flammability or No information available.

explosive limits

Other flammability No information available. Vapour pressure No information available. Vapour density No information available. Relative density No information available. **Bulk density** No information available.

Solubility(ies) Soluble in water. Partition coefficient Not applicable.

Auto-ignition temperature No information available. **Decomposition Temperature** No information available. Viscosity No information available.

Explosive properties Not considered to be explosive.













.°° IШS

International Water Solutions Ltd

UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU, UK T: +44 (0) 333 000 1111 Revision date: 25/03/2020 Revision: 1

Alcohol Based Hand Sanitizer

Oxidising properties The mixture itself has not been tested but none of the ingredient substances meet the criteria

for classification as oxidising.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity Vapours may form explosive mixtures with air.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions

The following materials may react strongly with the product: Oxidising agents. Strong acids.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Containers can burst violently or explode

when heated, due to excessive pressure build-up. Static electricity and formation of sparks

must be prevented.

10.5. Incompatible materials

Materials to avoid Oxidising materials. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition products

Does not decompose when used and stored as recommended. Thermal decomposition or $\ensuremath{\mathsf{C}}$

combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information on ingredients.

ethanol

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

10,470.0

Species

ATE oral (mg/kg) 10,470.0

Acute toxicity - inhalation

Acute toxicity inhalation

(LC₅₀ vapours mg/l)

116.9

Rat

Species Rat

ATE inhalation (vapours

mg/l)

116.9

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation













UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU, UK T: +44 (0) 333 000 1111

Revision date: 25/03/2020

Revision: 1

Alcohol Based Hand Sanitizer

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Negative.

Genotoxicity - in vivo Chromosome aberration: Inconclusive.

Carcinogenicity

Carcinogenicity NOAEL >3000 mg/kg, Oral, Rat

Reproductive toxicity

Reproductive toxicity -No evidence of reproductive toxicity in animal studies.

Specific target organ toxicity - single exposure

STOT - single exposure Data lacking.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Conclusive data but not sufficient for classification.

Aspiration hazard

Aspiration hazard Conclusive data but not sufficient for classification.

Glycerol

Toxicological effects Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Acute toxicity oral (LD∞

mg/kg)

11,500.0

Species Guinea pig

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 11,500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₆₀ 56,750.0

mg/kg)

Species Guinea pig

Notes (dermal LD∞) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 56,750.0

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Serious eye damage/irritation











<mark>,0</mark>,

International Water Solutions Ltd

UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU, UK T: +44 (0) 333 000 1111 Revision date: 25/03/2020

Revision: 1

Alcohol Based Hand Sanitizer

Serious eye damage/irritation

Not irritating.

Respiratory sensitisation

Respiratory sensitisation Not determined.

Skin sensitisation

Skin sensitisation Not determined.

Germ cell mutagenicity

Genotoxicity - in vitro Negative.

Carcinogenicity

Carcinogenicity Conclusive data but not sufficient for classification.

Reproductive toxicity

Reproductive toxicity -

Conclusive data but not sufficient for classification.

Reproductive toxicity -

development

fertility

Conclusive data but not sufficient for classification.

Specific target organ toxicity - single exposure

STOT - single exposure Conclusive data but not sufficient for classification.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Conclusive data but not sufficient for classification.

Aspiration hazard

Aspiration hazard Conclusive data but not sufficient for classification.

hydrogen peroxide solution

Acute toxicity - oral

Acute toxicity oral (LD₅

mg/kg)

602.0

Species Rat
ATE oral (mg/kg) 602.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

ATE inhalation (vapours 11.0

mg/l)

Skin corrosion/irritation

Skin corrosion/irritation Corrosive to skin. Causes severe burns.

Serious eye damage/irritation

Serious eye Causes serious eye damage.

damage/irritation

Respiratory sensitisation















UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU, UK T: +44 (0) 333 000 1111

Revision date: 25/03/2020 Revision: 1

Alcohol Based Hand Sanitizer

Respiratory sensitisation No data available.

Skin sensitisation

Skin sensitisation Conclusive data but not sufficient for classification.

Germ cell mutagenicity

Genotoxicity - in vitro Conclusive data but not sufficient for classification. Genotoxicity - in vivo Conclusive data but not sufficient for classification.

Carcinogenicity

Conclusive data but not sufficient for classification. Carcinogenicity

Reproductive toxicity

Reproductive toxicity -Conclusive data but not sufficient for classification.

fertility

Reproductive toxicity -Conclusive data but not sufficient for classification.

development

STOT SE 3 - H335 Respiratory system irritation. STOT - single exposure

Target organs Respiratory tract Specific target organ toxicity - repeated exposure

Specific target organ toxicity - single exposure

STOT - repeated exposure Conclusive data but not sufficient for classification. LOAEL 0.0029 mg/l, Inhalation,

Rat NOAEL 26 mg/kg/day, Oral, Rat

Aspiration hazard

Aspiration hazard No data available.

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity

Summary Not available.

Ecological information on ingredients.

ethanol

Acute aquatic toxicity

LC₅o, 96 hours: 14200 mg/l, Pimephales promelas (Fat-head Minnow) Acute toxicity - fish

Acute toxicity - aquatic

invertebrates

LC₅₀, 48 hour: 5012 mg/l, Ceriodaphnia dubia.

Acute toxicity - aquatic

plants

EC₅₀, 72 hour: 275 mg/l, Chlorella vulgaris.

Chronic aquatic toxicity

Chronic toxicity - aquatic invertebrates

NOEC, 9 day: 9.6 mg/l, Daphnia magna

Glycerol

Toxicity Based on available data the classification criteria are not met.















UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU, UK T: +44 (0) 333 000 1111

Revision date: 25/03/2020 Revision: 1

Alcohol Based Hand Sanitizer

Acute aquatic toxicity

LC₅₀, 96 hour: 885 mg/l, Pimephales promelas (Fat-head Minnow) Acute toxicity - fish

LC₅₀, 48 hour: 1955 mg/l, Daphnia magna

 LC_{50} , 96 hour: 54000 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

hydrogen peroxide solution

Toxicity Aquatic Chronic 3 - H412

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hour: 16.4 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic

invertebrates

LC₅₀, 48 hour: 2.4 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

ErC50, 72 hour: 1.38 mg/l, skeletonema costatum

Acute toxicity microorganisms EC₅₀, 0.5 hour: 466 mg/l, Activated sludge

Chronic aquatic toxicity

Chronic toxicity - aquatic

NOEC, 21 day: 0.63 mg/l, Daphnia magna

invertebrates

12.2. Persistence and degradability

Persistence and degradability
The product contains inorganic substances which are not biodegradable. The other

substances in the product are expected to be readily biodegradable.

Ecological information on ingredients.

ethanol

Persistence and

degradability

The substance is readily biodegradable.

Glycerol

Persistence and

degradability

The product is readily biodegradable.

hydrogen peroxide solution

Persistence and degradability

Substance is inorganic.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not applicable.

Ecological information on ingredients.

Bioaccumulative potential Bioaccumulation is unlikely.















UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU, UK T: +44 (0) 333 000 1111 Revision date: 25/03/2020 Revision: 1

Alcohol Based Hand Sanitizer

Partition coefficient log Kow: -0.31

Glycerol

Partition coefficient log Pow: -1.75

hydrogen peroxide solution

Partition coefficient Kow: -1.57 Calculation method.

12.4. Mobility in soil

Mobility The product is soluble in water.

Ecological information on ingredients.

ethanol

Mobility Soluble in water.

Glycerol

Mobility The product is water-soluble and may spread in water systems.

hydrogen peroxide solution

Henry's law constant 0.001 Pa m³/mol @ 20°C

Surface tension 80.4 mN/m @ 20°C

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

ethanol

Results of PBT and vPvB
This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

Glycerol

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB.

assessment

hydrogen peroxide solution

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

12.6. Other adverse effects

Other adverse effects Not known.

Ecological information on ingredients.

Glycerol

Other adverse effects None known.















UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU. UK T: +44 (0) 333 000 1111

Revision date: 25/03/2020 Revision: 1

Alcohol Based Hand Sanitizer

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product

residues and hence be potentially hazardous.

Disposal methods Do not empty into drains. Disposal of this product, process solutions, residues and by-

products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be

considered when recycling is not feasible.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1993 UN No. (IMDG) 1993 UN No. (ICAO) 1993 UN No. (ADN) 1993

14.2. UN proper shipping name

Proper shipping name (ADR/RID)

FLAMMABLE LIQUID, N.O.S. (CONTAINS ethanol)

Proper shipping name (IMDG) FLAMMABLE LIQUID, N.O.S. (CONTAINS ethanol) Proper shipping name (ICAO) FLAMMABLE LIQUID, N.O.S. (CONTAINS ethanol) Proper shipping name (ADN) FLAMMABLE LIQUID, N.O.S. (CONTAINS ethanol)

14.3. Transport hazard class(es)

ADR/RID class ADR/RID classification code ADR/RID label **IMDG class** ICAO class/division **ADN class**

Transport labels



14.4. Packing group

ADR/RID packing group IMDG packing group













UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU. UK T: +44 (0) 333 000 1111

Revision date: 25/03/2020 Revision: 1

Alcohol Based Hand Sanitizer

ICAO packing group Ш ADN packing group Ш

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

14.6. Special precautions for user

F-E, S-E

ADR transport category 2 •3YE **Emergency Action Code** Hazard Identification Number 33

(ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits.

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Directive 2012/18/EU of the European Parliament and of the Council of 4 July 2012 on the

control of major-accident hazards involving dangerous substances.

major accident hazards

Seveso Directive - Control of P5c Lower-tier 5000 tonnes Upper-tier 50000 tonnes.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information













UK Head Office 1A Bates Industrial Estate Church Road, Essex RM3 0HU, UK T: +44 (0) 333 000 1111 Revision date: 25/03/2020 Revision: 1

Alcohol Based Hand Sanitizer

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

RID: European Agreement concerning the International Carriage of Dangerous Goods by

Rail.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

CAS: Chemical Abstracts Service. ATE: Acute Toxicity Estimate.

 LC_{50} : Lethal Concentration to 50 % of a test population.

LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC₅₀: 50% of maximal Effective Concentration.
PBT: Persistent, Bioaccumulative and Toxic substance.
vPvB: Very Persistent and Very Bioaccumulative.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006.

Classification abbreviations and acronyms

Flam. Liq. = Flammable liquid

Classification procedures according to Regulation (EC) 1272/2008

Flam. Liq. 2 - H225: : Expert judgement.

Training advice Only trained personnel should use this material. **Revision date** 25/03/2020

Revision 1

SDS number 7441

Hazard statements in full H225 Highly flammable liquid and vapour.

H271 May cause fire or explosion; strong oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.



This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.







